

63 designators as ones of the chrome specifiers in the chrome configuration database. As a result, the chrome display program displays the "related site" designators as part of the chrome. --

Paragraph beginning at page 5, line 3 has been amended as follows:

64 -- The chrome specification information may originate either from the server computer 106, or may be based on user actions. In one embodiment, chrome specification information that originates from the server computer 106 is in the form of Resource Description Framework (RDF) language. RDF is a schema being considered, but not yet adopted, by the World Wide Web Consortium (W3C) to model web resources and their interrelationships. At the time of filing this patent application, RDF is only defined in "working draft" form. A copy of the latest working draft, dated August 14, 1998, is available via the world wide web at <http://www.w3.org/TR1998/WD-rdf-schema.19980814>, and is hereby incorporated by reference in its entirety. The newest version is always available at <http://www.w3.org/TR/WD-rdf-schema.19980814>. If the chrome specification information originates from the server computer 106, then it is processed by a chrome configuration process 310 and the records 308 of the chrome configuration database 306 are modified accordingly. By contrast, if the chrome specification information originates from user actions, then it is processed by a user-defined chrome process 312. Using user actions to specify chrome, at least in some limited fashion, is known in the art. For example, the Communicator 4.0 browser of Netscape Communications Corporation allows for manipulating a tree structure of bookmarks, by, for example, dragging a link into a personal toolbar folder to cause the browser to display the links on a personal toolbar portion of the browser's chrome. See Official Netscape Communication 4 Professional Edition Book, by Phil James and tar Calishain (Ventana Communications Group 1997). In contrast to Netscape Communicator 4.0, however, in the described embodiment, user actions would manipulate a representation of the chrome specification records 308 in the chrome configuration database. Either or both of the processes 310, 312 may be employed to modify the records 308 of the chrome configuration database 306. --

Applicant : David HYATT et al.
Serial No. : 09/208,805
Filed : December 9, 1998
Page : 6

Attorney's Docket No.: 06975-188001 / Browser 05

In the abstract:

Please replace the abstract with the following version.

87 -- A web browser program automatically reconfigures chrome of an interface to provide access to groups of related information. The web browser program includes a content display program module, a chrome display program module, a current site communication program module, a chrome configuration processing program module, and a related information servers indication receiving program module. --